

CONTENTS

Spill Trays Drum Funnels, Lids & Trays Spill Flooring Drum Spill Pallets Covered Drum Spill Pallets Hard Covered Drum Spill Pallets Pallet Converters Horizontal Drum Trolley,	3-15 16 17-18 19-23 24-25 26-28 29
Dispensers & Tranportation	30-31
Drum Dollies & Trolleys	32
Rack Spill Trays	33
IBC Spill Pallets	34-38
IBC Funnel With Lid	38
Covered IBC Spill Pallets	39
Poly Cart	
& Poly Work Cart	40
Poly Dispensing	
& Work Stands	41-42
Drum Overpack	43-44
Cabinets	45-46
Poly Maintenance Carts	47-48
Roll Forward Skip	48
General Purpose Storage	
Containers	49-50
Poly Storage Bins	51-52
Universal Beam	
Protectors	53-54
Multi-pack Shipping	55-58
Information Chemical Compatibility Guide	59

Rotationally Moulded Products



A fabricated steel mould is filled with coloured polyethylene powder



The mould is rotated in a specialised oven




The plastic is then removed from the mould and allowed to cool in a controlled environment.


SPILL PALLET - FORKILFT ACCESS POCKETS DIMENSIONS


Below we have detailed the fork pocket access dimensions to allow customers to check compati-bility.


MODEL	DESCRIPTION
BP2	2 x 205ltr Drum Pallet
BP4	4 x 205ltr Drum Pallet
DB4	2 x 205ltr Drum Pallet Base Unit
BB1	1 x BC Pallet
BB2	2 x IBC Pallet











BP2




DB4

190mm

180mm

365mm

90mm



FW

SPILL TRAYS

Our Spill Tray range is the most comprehensive available. They are the ideal solution for catching spills in the work area and the storage and handling of smaller drums and containers.



Spill Trays are compact and lightweight and can fit into small areas. Strong, easy to clean and compatible with most liquids.

With sump capacities up to 145ltr, available in a range of sizes our Spill Tray range provide a practical, simple and safe solution for small liquid storage, handling and spillage needs.

The ST range can be used and purchased with or without grids.

APPLICATIONS


- Container spill tray
- Liquid dispensing work area
- C Laboratory tray
- Vehicle and equipment leak spill tray


- Machine part cleaning
- Solvent and ink storage
- 🟮 Battery storage
- Chemical dosing point tray



Ideal for small liquid storage, handling and spillage needs









ST20BASE				
IDEAL FOR	SPILL CO	ONTROL		
	LENGTH I↔I 595mm	WIDTH 395mm	HEIGHT 170mm	
WEIGHT	UDL 55kg	SUMP 22ltr	BASE COLOUR	




SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL











ST40GRID				
IDEAL FOR	SPILL CO	ONTROL		
	LENGTH I↔I 790mm	WIDTH 585mm	HEIGHT 1 25mm	
WEIGHT	UDL 105kg	SUMP M/A	GRID COLOUR	







SPILL TRAYS

ST60				
IDEAL FOF	SPILL CO	ONTROL		
	LENGTH I↔I 1000mm	WIDTH 605mm		
WEIGHT	UDL 205kg	SUMP Left 63tr	BASE COLOUR	





ST60GRID			
IDEAL FOR	SPILL CO	ONTROL	
	LENGTH I⇔I 985mm	WIDTH 585mm	HEIGHT Ĵ 35mm
WEIGHT	UDL 205kg	SUMP	GRID COLOUR







ST 100GRID				
IDEAL FOR	SPILL CO	ONTROL		
	LENGTH I↔I 790mm	WIDTH S85mm	Lieight 1 25mm	
WEIGHT a 3.5 x 2kg	UDL 205kg	SUMP 1881 N/A	GRID COLOUR	







SPILL TRAYS

ST70E				
IDEAL FOR	SPILL CO	ONTROL		
	LENGTH I↔I 804mm	WIDTH Common 608mm	HEIGHT ☐ 315mm	
WEIGHT	UDL 150kg	SUMP 1 70ltr	BASE COLOUR	






ST70GRID			
IDEAL FOR	SPILL CO	ONTROL	
	LENGTH I↔I 804mm	WIDTH	HEIGHT
WEIGHT	UDL 150kg	SUMP 1000 70ltr	GRID COLOUR



	STGOWH IDEAL FOR SPILL CONTROL DIMENSIONS LENGTH I→I 933mm 0.000 H 933mm 0.000 H 0.000 H 933mm 0.000 H
ST66BASE IDEAL FOR SPILL CONTROL DIMENSIONS LENGTH I HI ON ORDER WERHT WUTH SUMP SUMP SUMP SUMP BASE COLOUR	
	ST66 IDEAL FOR SPILL CONTROL DIMENSIONS LENGTH I↔I & 804mm ♦ 608mm WEIGHT UIL & 8.5kg ↓ 150kg

SPILL TRAYS





1000

	BT50 IDEAL FOR SPILL PREVENTION DIMENSIONS DIAMETER I Hold DIMENSIONS DIAMETER I Hold WERCHT \$5kg SUMP \$0ltr
IDEAL FOR SPILL CONTROL DIMENSIONS LENGTH I↔I 1450mm ✓ 840mm WEICHT % & 8kg SUMP MEICHT 8kg	
	IDEAL FOR SPILL CONTROL DIMENSIONS LENGTH DIMENSIONS LENGTH 000 000000000000000000000000000000000000
IDEAL FOR SPILL CONTROL DIMENSIONS LENGTH I↔I WIDTH 1460mm 1460mm WEIGHT UDL 650kg SUMP 12kg 650kg	

SPILL TRAYS

IDEAL FOR SPILL CONTROL DIMENSIONS LENGTH I↔I System System YEIGHT 2.5kg SUMP 8ltr	
	IDEAL FOR SPILL CONTROL DIMENSIONS LENGTH I↔I IMENSIONS LENGTH IMENSIONS

TTXL				
IDEAL FOR	SPILL CO	ONTROL		
	length i⇔i 1200mm	WIDTH 550mm	HEIGHT	
WEIGHT 2.	.6kg	SUMP 30	Oltr	





TT9			
IDEAL FOR	SPILL CO	ONTROL	
	LENGTH I↔I 790mm	WIDTH 400mm	1EIGHT 1 50mm
WEIGHT 1.	2kg	SUMP 1881 9lt	r





π16			
IDEAL FOR	SPILL CO	ONTROL	
	LENGTH I↔I 530mm	WIDTH V 400mm	HEIGHT 100mm
WEIGHT	75kg	SUMP 16	ltr

TT28				
IDEAL FOR	SPILL CO	ONTROL		
	LENGTH I↔I 645mm	WIDTH 490mm	LEIGHT	
WEIGHT	3kg	SUMP 28	ltr	






TT64					
IDEAL FOR SPILL CONTROL					
	LENGTH I↔I 800mm	WIDTH	HEIGHT 120mm		
WEIGHT 2.	6kg	SUMP 64	ltr		

TT65				
IDEAL FOR	SPILL CO	ONTROL		
	length i⇔i 1000mm	WIDTH 550mm	ileight ⊈ 150mm	
WEIGHT 21	kg	SUMP 65	iltr	







π100)			
IDEAL FOR	SPILL CO	ONTROL		
	LENGTH I↔I 1000mm	WIDTH	HEIGHT 120mm	
WEIGHT 4	٢g	SUMP 10	Oltr	





TT100G				
IDEAL FOR SPILL CONTROL				
	LENGTH I↔I 1000mm	WIDTH 1000mm	LEIGHT 120mm	
WEIGHT 71	kg	SUMP 2007 99	ltr	

DRUM ACCESSORIES

DRUM AND LID FUNNELS

Our Drum Lids and Funnels provide simple ways to collect liquids, keep drum tops dry and help prevent spills.

They are manufactured from easy to clean polyethylene and are compatible for use with most liquids.



Made from the same flexible material as our Palcons ensuring a tight fit around the top of the drum



SPILL FLOORING

COMPLETE SPILL FLOORING

Our Spill Floor range is the flexible decking solution for creating liquid handling workstations and storage areas to fit your working environment.

Available in 3 sizes each unit can be used as a standalone workstation or combined to create multiple workfloor configurations.

Each individual unit is compliant with current oil storage regulatory requirements -

- BF2 for up to 4 x 100ltr drums
- BF4 and BF4S for up to 4 x 205ltr drums each.

The low height and a choice of two ramps enables easy access for loading and unloading. Optional joint strip covers can be added for a superior finish and optional split floor connectors added to link sumps.

APPLICATIONS

- 👩 Modular workfloor area
- Liquid dispensing workstation
- "Quarantine area" for leaking containers
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "
 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "

 "
- 👩 Drum storage & handling area

- Machine part cleaning area
- **o** Ink storage
- Oil storage
- Cubricant treatment area



BFR

length	650mm
width	800mm
height	160mm
weight	8kg
UDL	1000kg



BFR2

length 1740mm width 1000mm height 160mm weight 28kg UDL 1000kg



SPILL FLOORING

BF2			
DEAL FOR SPILL CONTROL			ATTACK IN
IMENSIONS LENGTH I↔I WIDTH	LEIGHT 150mm	State Inc.	
EIGHT UDL 1000kg SUMP	r BASE COLOUR		

4xBF4s with joining strips and sump connectors can be used to store multiple IBCs.





1	BF4			
	IDEAL FOR			
		LENGTH I⇔I 1660mm	WIDTH 1260mm	Height Ĵ 150mm
	WEIGHT	UDL 2000kg	SUMP 1881 300ltr	BASE COLOUR

BF4S				
IDEAL FOR	SPILL C	ONTROL		
	LENGTH I↔I 2610mm	WIDTH X 895mm	HEIGHT	
WEIGHT 42kg	UDL 2000kg	SUMP Less 300ltr	BASE COLOUR	



ACCESSORIES

BFC

length 79mm diameter 40mm weight 0.6kg



Spill Floor Connector

BFS2

length width width (wings) height weight

60mm 135mm 35mm 1.5kg

1260mm



WWW.ZEEBEST.COM

Joining Strip

BFS4

length1660mmwidth60mmwidth (wings)135mmheight35mmweight2kg



Joining Strip

18

DRUM SPILL PALLETS

CONTAINED DRUM STORAGE

Our quality drum Spill Pallet range is designed for the safe and regulatory compliant storage of 205ltr drums.

Available in 1, 2, 3, 4 and 8 drum versions. These robust units are made from 100% polyethylene which has broadband chemical compatibility.





designed for 4 x 205ltr drums, has additional sump capacity



DRUM SPILL PALLETS

CONTAINED DRUM STORAGE

BP4L			
IDEAL FOR	SPILL CO	ONTROL	
	LENGTH I↔I 1280mm	WIDTH 1280mm	HEIGHT 1 275mm
WEIGHT	UDL 1250kg	SUMP 230ltr	BASE COLOUR

1000kg

designed for 4 x 205ltr drums

BFR3				
IDEAL FOR	SPILL CO	ONTROL		
	LENGTH I ↔I 1740mm	width VIDTH	HEIGHT	
WEIGHT	3kg	UDL 10		

BFR3 for use with BP4L







DRUM SPILL PALLETS

CONTAINED DRUM STORAGE





NEW - RECYCLED DRUM PALLETS

CONTAINED DRUM STORAGE



*Due to these units being produced from recycled materials, there may be slight variance in the colour

COVERED DRUM SPILL PALLETS

COVERED DRUM STORAGE



Cover protects pallet and drums from rainwater



Designed for up to 4 x 205ltr drums



shown without cover



ready to set up

COVERED DRUM SPILL PALLETS

COVERED DRUM STORAGE

BP8C				
IDEAL FOR	SPILL CO	ONTROL		
	LENGTH I↔I 2560mm	WIDTH 1350mm	Light 2080mm	
WEIGHT	UDL 3000kg	SUMP	BASE COLOUR	



Designed for up to 8 x 205ltr drums or 2 x 1000ltr IBC's



shown without cover



ready to set up

HARD COVERED DRUM SPILL PALLETS

COVERED DRUM STORAGE

FEATURES & APPLICATIONS

- 100% recyclable polyethylene
- G Hard covered storage
- For 2 and 4 x 205ltr drums or smaller containers

- Cockable shutter door
- Integral base fork pockets
- Delivered fully assembled





BFR5 for use with BP2HC, see page 21 for details

The BP2HC range can be fitted with a padlock, not provided





weight 90kg supplied with three tier plastic shelving unit

HARD COVERED DRUM SPILL PALLETS



COVERED DRUM STORAGE

вр2нсн			
IDEAL FOR SP	PILL CONTRC)L	
	LENGTH I↔I 1210mm	WIDTH Sy 810mm	
HEIGHT 470mm	UDL	300kg	


weight 95kg supplied with steel horizontal drum cradle



The BP4HC is fitted with a lock, two keys provided

NEW - HARD COVERED SPILL PALLETS

Manufactured from medium density polyethylene these spill pallets have a 0.6mm galvanized steel (powder coated paint finish) cover fitted with hinged doors and retaining catches to hold them open during loading and unloading. The metal cover is secured to the spill pallet by means of M8 dome head allen bolts & nyloc nuts.



PALLET CONVERTERS

TURN A STANDARD PALLET INTO A SPILL PALLET

Place the Palcon over an existing pallet and it is ready to use. The unique compressible front allows drums on a second pallet to be lowered into the Palcon by a forklift truck.

When the forks are withdrawn the front returns to its normal height creating the containment.

FEATURES & APPLICATIONS

- Ø Made from flexible plastomer
- **o** 2 drum and 4 drum versions

- C Lightweight and easy to handle
- Broadband chemical compatibility
- **O** Unique compressible front

PALCO	DN2			
IDEAL FOR	SPILL CO	ONTROL		
	LENGTH I↔I 1500mm	WIDTH 1100mm	HEIGHT	
WEIGHT	kg	SUMP 250	lltr	



Palcon4 must be used with 1200mm x 1000mm wooden or plastic pallets







Palcon2 must be used with 1200mm x 800mm wooden or plastic pallets

PALCO	DN4		
IDEAL FOR	SPILL CO	ONTROL	
	LENGTH I⇔I 1500mm	WIDTH 1300mm	HEIGHT 1 440mm
WEIGHT	<g< th=""><th>SUMP 310</th><th>lltr</th></g<>	SUMP 310	lltr

Easy three stage operation



DRUM DISPENSING & TRANSPORTATION

Ensure your drums are fully contained even when being transported.

Simple to use, one person operation. Dispense without the worry of spills

Not for use with plastic drums.

BT230			
IDEAL FOR		TRANSPO	RTATION
	LENGTH I↔I 1600mm	WIDTH 740mm	HEIGHT <u>1</u> 640mm
WEIGHT	UDL 300kg	SUMP 1881 230ltr	BASE COLOUR



The ribs of a 205ltr steel drum help keep the drum secure






HORIZONTAL DRUM CONTAINMENT & STORAGE

This versatile system maximises floor space by stacking up to 4 steel drums horizontally above a 400ltr sump.

Dispense from any of the drums in the safe knowledge that any leaks or spills will be contained.






VERSATILE SPILL DOLLIES & TROLLEYS

Poly Drum Dollies are a safe and robust solution for moving 205ltr drums. The PDDH includes a steel handle making it ideal for moving smaller containers, boxes and batteries.


The Spill Trolley is designed to safely transport up to four 25ltr drums, but it has numerous other uses throughout the workplace.

FEATURES & APPLICATIONS

- Made from sturdy 100% polyethylene
- Ideal for drums and smaller containers
- Lightweight and easy to handle
- **O** Broadband chemical compatibility
- 4 castors for added stability 2 lockable
- Sump base to contain spills



U.			
PDD			
IDEAL FOR LIQUID TRANSPORTATION			
	LENGTH I ↔I 725mm	WIDTH 725mm	LEIGHT 255mm
WEIGHT	UDL 300kg	SUMP Jeer 30ltr	BASE COLOUR







RACK SPILL TRAYS

Turn standard pallet racking into contained racking by using Rack Spill Trays.

Made from 100% polyethylene, the rack spill tray sits across the beams and the pallet of containers sits inside the tray.

Simple to use and easy to install.

FEATURES & APPLICATIONS

- Stop leaks damaging other products
- O Use with existing racking
- Sits on cross beams

- Compliant with most regulations
- Ø Broadband chemical compatibility
- Segregate liquids



IBC SPILL PALLETS

Our extensive IBC Spill Containment range is specifically designed to meet the growing IBC user market. Made from 100% corrosion free polyethylene, these sturdy units are Worldwide regulation com-pliant. We produce single and double IBC units, dispensing and filling accessories.

FEATURES & APPLICATIONS

- Corrosion resistant
- Suitable for most IBC footprints
- Integral base fork pockets

- Removable decking to assist cleaning
- **O** Robust 100% polyethylene construction

Single IBC Spill Pallet models BB1, BB1D and BB3 Decanting/Overflowing Tray model BB1T



overflow tray for use with BB1 & BB1C, liquid overflows into main sump



Single IBC spill pallet with four way base entry and removable grid mesh

BB 1 D	
EAL FOR IBC CONTAINMENT MENSIONS LENGTH I↔I WIDTH ■EIGHT	
🛕 🛛 2065mm 🖍 1445mm 👤 705mm	
79kg	

Single IBC secondary containment solution with integral dispensing area

Please note: BB1D, BB3 and BB4 are not suitable for steel framed IBCs

FT



DOUBLE IBC SPILL PALLETS & OPTIONAL OVERFLOW TRAYS

FEATURES & APPLICATIONS

For 2 x 1000ltr IBCs or 2 x 1200mm x 1100mm pallets

🖍 1350mm 🖡 510mm

Made from polyethylene

IDEAL FOR IBC STORAGE

NGTH **I↔I** 2560mm

🚽 3000kg j‱r 1140ltr

BB2

👌 116kg

- BB2 is fitted with grids BB4 has integral upstand supports
- Ø Base fork pockets


Double IBC Spill Pallet models BB2 and BB4 Decanting/Overflow Trays models BB2T and BB4T

Double IBC secondary containment solution - can also take up to 8 x 205ltr drums



DOUBLE IBC SPILL PALLETS & OPTIONAL OVERFLOW TRAYS





Please note: BB1D, BB3 and BB4 are not suitable for steel framed IBCs





BB4 without optional BB4Ts



shown with 2 x optional BB4T overflow trays

BB4T				
IDEAL FOR	OVERFL	OW/DRIP	S	
	LENGTH I↔I 530mm	WIDTH 520mm	HEIGHT Ĵ 530mm	
WEIGHT	<g< th=""><th>CAPACITY 861</th><th>tr</th><th></th></g<>	CAPACITY 861	tr	

COVERED IBC SPILL PALLETS & OPTIONAL OVERFLOW TRAY

Covered models are supplied flat pack for customer assembly

Single IBC covered spill pallets complete with frame, roof and cover with heavy duty roll up (BB1C)

BB1C				
IDEAL FOR	IBC STO	RAGE		
	LENGTH I ↔I 1760mm	WIDTH 1360mm	Leight 1 2410mm	
WEIGHT	UDL 1500kg	SUMP	BASE COLOUR	





shown with optional BB1T overflow tray, see page 34 for details





IBC funnel with lid and integral debris strainer



COVERED IBC SPILL PALLETS & OPTIONAL OVERFLOW TRAY



Cover protects
pallet and IBC's
from rainwater



double IBC secondary containment system complete with frame, roof panels and cover

Covered models are supplied flat pack for customer assembly



BB2C shown once assembled on site



Shown with optional BB2T overflow tray, see page 36 for details BB2C shown packed prior to set up

POLY CART AND POLY WORK CART

The Poly Cart provides a simple, fast and effective solution for cleaning up spills in the workplace or treating snow and ice on pavements and car parks.

The Poly Work Cart is a robust mobile workstation suitable for general maintenance and repair applications across all sectors.

FEATURES & APPLICATIONS

- Made from 100% polyethylene
- For indoor and outdoor use
- Lightweight and easy to manoeuvre

PC				
IDEAL FOR	SPILL RE	SPONSE		
	length i⇔i 1360mm	WIDTH 710mm	LIEIGHT 1 965mm	
	3kg	CAPACITY 601	.tr	

- Front hopper for sorbent granules, salt or grit - fitted with a lid
- Rear waste bag holder with lid
- A must-have housekeeping cart
- Broom and shovel not provided
- <image>

Lockable front wheels

- Versatile carts with numerous uses
- Ø Broadband chemical compatibility





- Top external tray with central divide
- Fitted with a removable tray and a lockable door
- A must have maintenance cart
- Contents shown not provided

POLY DISPENSING & WORK STANDS

Dispensing Stands models PDS (open fronted) & PDSD (with lockable door). Work Stands models PWS (open fronted) & PWSD (with lockable door).

FEATURES & APPLICATIONS

- PDS & PDSD designed for absorbent dispensing
- Galvanized steel tube roll holder
- Made from 100% polyethylene

- PWS & PWSD designed for workstation applications
- Removable internal tray
- Tough, rigid construction

PDS				
IDEAL FOF	SPILL RE	SPONSE		
	LENGTH I↔I 640mm	WIDTH 580mm	EIGHT 1180mm	
WEIGHT 21	Okg	SUMP ⊉≝ 48	ltr	



PDS - open fronted





PDSD - inside view





PDSD - has a lockable door

POLY DISPENSING & WORK STANDS



PWS						
IDEAL FOR SPILL RESPONSE						
	LENGTH I⇔I 640mm	WIDTH 580mm	HEIGHT 980mm			
WEIGHT 20)kg	SUMP 481	tr			

PWS - open fronted

PWSD				
IDEAL FOR	SPILL RE	SPONSE		
	LENGTH I↔I 640mm	WIDTH 580mm	Leight 1 980mm	
WEIGHT 23	ßkg	SUMP 율 48I	tr	





PWSD - with removable tray in place

PWSD - has a lockable door

DRUM OVERPACK

FEATURES & APPLICATIONS

- O Use to store & transport damaged drums
- Resistant to a whole range of chemicals

- Also use to store spill kits etc
- o Lid fitted with neoprene seal
- Available in yellow and orange



	RIGODEL WITH DEAL FOR DAMETER DEAL FOR DEAL FOR
R1601 IDEAL FOR DRUM STORAGE DIMENSIONS DIAMETER IGH VIDTH top 560 bot 420 1/2 720mm WEIGHT 6.5kg MAX CAPACITY 114ltr	
	R1690 IDEAL FOR DRUM STORAGE DIMENSIONS DIAMETER HOLL VUDTH DIMENSIONS DIAMETER HOLL VUDTH WEIGHT 22.5kg MAX CAPACITY 361ltr Screw on lid Screw on lid Image: Note of the second secon

(h)

United Nations Packaging Approved

-

CABINETS

PSC1

534mm

12ko

A wide range of polyethylene cabinets all with lockable doors and built-in sumps.

Suitable for a wide variety of storage applications.

Cabinets available in different solid colours.

PSC1, PSC2, PSC4 and PSC5 are fitted with removable shelves.



1 990mm

🖍 420mm

30ltr



PSC3

PSC4



PSC2			
IDEAL FOR			
	HEIGHT 1650mm		
WEIGHT	SHELF UDL	SUMP 1 2011	REMOVABLE SHELF YES





PSC3						
IDEAL FOR LIQUID STORAGE						
	length i⇔i 740mm	WIDTH 920mm	HEIGHT			
WEIGHT	BASE PAL UDL	SUMP 1225ltr	REMOVABLE SHELF NO			

Secure storage with integral sump

PSC4				
IDEAL FOR		TORAGE		
	length i⇔i 740mm	width 920mm	Height 1835mm	
WEIGHT	BASE PAL UDL	SUMP	SHELF UDL	

Secure storage with integral sump





PSC5			
IDEAL FOR			
	length I ↔I 740mm	WIDTH 920mm	LEIGHT 1520mm
WEIGHT	BASE PAL UDL	SUMP 1齢 100ltr	SHELF UDL

POLY MAINTENANCE CABINETS

The Poly Maintenance Cart is a flexible and robust maintenance unit suitable for general maintenance and spill management applications across all sectors.

The body of the unit has secure internal storage for drums and containers whilst on top is a roll holder and hinged lid. The roll holder is suitable for absorbent rolls, general paper rolls or wipes.

FEATURES & APPLICATIONS

- Made from polyethylene
- Upper storage level suitable for 5ltr cans or absorbent pads
- Easy loading top roll holder

- Lightweight and manoeuvrable
- Lower storage level suitable for 20 to 25ltr plastic drums or absorbent socks
- Lockable door

PMCS	4			
IDEAL FOF	GENERA	L MAINTEN	IANCE	
	LENGTH I↔I 640mm	WIDTH 725mm	HEIGHT <u>1520mm</u>	
WEIGHT	MAX ROLL 430mm Ø	x 500mm	SUMP 1881 45ltr	



РМСХ	L4			
IDEAL FOR GENERAL MAINTENANCE				
	LENGTH I↔I 650mm	WIDTH 725mm	LEIGHT 1550mm	
WEIGHT	MAX ROLL	x 520mm	SUMP 1 45ltr	



POLY ROLL HOLDERS

Worktop dispensing units

The Poly Drum Holders are a flexible and robust range of roll dispensers that accept standard absorbent and paper rolls.

Ideal for environments where spills are likely and a fast clean-up is essential. Suitable for janitorial, engineering and general maintenance applications across all sectors.

The Poly Roll Holder can be placed on a worktop or on top of the Poly Work Cart to create a mobile spill station and maintenance cart.

FEATURES & APPLICATIONS

- Standalone unit or fits on our Poly Work Cart
- O Accepts all standard roll sizes

- Lightweight and easy to clean
- Maintain a clean work environment



PRHXL					
IDEAL FOR SPILL CLEANUP					
	LENGTH I↔I 640mm	WIDTH C 635mm	LEIGHT 1615mm		
WEIGHT	MAX ROLL	x 520mm	SUMP ﷺ 45ltr		

ROLL FORWARD BIN

Fitted with a rotationally moulded polyethylene bucket, which can be replaced as and when required this roll forward bin is totally automatic; no wires and no climbing, just lower the bucket onto the edge of a bin to re-lease then lower to lock after tipping the load. The bucket is fitted onto a painted mild steel base frame on fixed legs and it is also supplied with safety securing chains as standard.



GENERAL PURPOSE STORAGE CONTAINERS

FEATURES & APPLICATIONS

- Made from 100% recyclable polyethylene
- Tough, rigid construction
- For quantity orders lid hinges, locks and wheels require fitting on delivery. Fixings are provided, holes are pre-drilled
- Wide range of storage applications including spill kits, batteries etc Stackable for quantity shipping;
- Iids are placed in top unit, components are placed within the stack



GPSC1W not watertight

For lightweight storage applications only

GPSC1LH

The GPSC1 & GPSC1W come with a loose lid as standard. If a lockable hinged lid, as shown above, is required please also order a GPSC1LH. This kit contains a lock and a pair of hinges, all holes will be drilled and fixings provided.

GENERAL PURPOSE STORAGE CONTAINERS

Ideal for grit storage



GPSC2L

The GPSC1 & GPSC1W come with a loose lid as standard. If a lockable hinged lid, as shown above, is required please also order a GPSC1LH. This kit contains a lock and a pair of hinges, all holes will be drilled and fixings provided.

POLY STORAGE BINS

Multi use storage bins

Large capacity poly storage bins for both indoor and outdoor use. Robust polyethylene construction with integral base fork pockets make them easy to move and clean. These bins are ideal for lightweight storage applications and come with a loose lid as standard.





POLY STORAGE BINS

PSB1LH, PSB2LH & PSB3LH

The PSB1, PSB1W, PSB2, PSB2W, PSB3 & PSB3W come with a loose lid as standard. If a lockable, hinged lid is required please also order either a PSB1LH, PSB2LH or PSB3LH. These kits contain a lock, a lifting knob (PSB1 and PSB2) and a pair of hinges. All holes will be drilled and fixings provided.




UNIVERSAL BEAM PROTECTORS

Protect your building columns

Universal Beam Protectors are manufactured from robust 100% polyethylene.

Designed for quick and simple fitting.

Protect your building columns and your forklift trucks.



UNIVERSAL BEAM PROTECTORS



All Universal Beam Protectors comes in two pieces and can be easily secured in place using the nuts and bolts provided for securing them in place.

IMPACT PROTECTORS

Heavy duty rotationally moulded strip & edge protectors for walls and corners prone to damage. Fix in place with bolts or screws, not provided


length	235mm
width	235mm
height	955mm
weight	5kg






MULTI PACK SHIPPING INFORMATION

As the distributor supplying direct to our trade customers we are pleased to offer shipping options to allow for the most efficient and cost effective transportation of our products. The following are examples of how we can package and ship multiples of individual items.



BP4FW

Pack Size	10 units
Length	1222mm
Width	1222mm
Height	2502mm
Weight	400kg






Best Sellers Range

BP2

Pack Size Length Width Height Weight 12 units 1220mm 820mm 2300mm 330kg










BP2FW

Pack Size Length Width Height Weight 10 units 1220mm 820mm 2500mm 270kg











Best Sellers Range

BP4L

Pack Size Length Width Height Weight 15 units 1295mm 1295mm 2450mm 435kg








BB1FW

Pack Size Length Width Height Weight 4 units 1220mm 1220mm 2570mm 213kg









Best Sellers Range

Other Best Sellers

Product	Consignment Size	Length	Width	Height	Weight
BT230	3 units	1600mm	800mm	2160mm	126kg
PSC1	14 units	1200mm	1200mm	2535mm	210kg
PSC2	12 units	1200mm	1200mm	2120mm	180kg
PSC3	8 units	1280mm	850mm	2300mm	120kg
BB2FW	4 units	2355mm	1230mm	2420mm	364kg
BB3	3 units	1600mm	1435mm	2270mm	231 kg
BB4	4 units	2320mm	1360mm	2380mm	264kg
BF2	15 units	1240mm	1100mm	2140mm	300kg
BF4	15 units	1670mm	1240mm	2470mm	570kg
BP2	12 units	1220mm	820mm	2350mm	276kg
BP2FW	10 units	1220mm	820mm	2365mm	270kg
BP4FW	10 units	1220mm	1220mm	2380mm	400kg
BB1	3 units	1760mm	1350mm	2200mm	273kg
BB1D	3 units	2060mm	1420mm	2110mm	237kg
BB1FW	4 units	1220mm	1220mm	2570mm	213kg
BB2	5 units	2560mm	1350mm	2500mm	580kg
BP4L	15 units	1295mm	1295mm	2450mm	435kg

POLYETHYLENE CHEMICAL COMPATIBILITY GUIDE

Acetaldehyde 40%	Butanol	Fluosilicic Acid	Methyl Amine 32%	Selenic Acid
Acetamide	Butyl Acetate	Formaldehyde 40%	Methyl Sulphate	Silicic Acid
Acetic Acid 10%	Butyl Alcohol	Formamide	Methyl Sulphuric Acid	Silver Nitrate
Acetone	Butylene Glycol	Formic Acid	Monochloroacetic Acid Ethyl Ester	Sodium Acetate sat.sol
Acrylonitrile	Butyric Acid	Fruit Pulp sol	Monnchloroacetic Acid Methyl Ester	Sodium Acrylates
Adipic Acid	Calcium Carbonate sat.sol	Furfural	Morpholin	Sodium Benzoate
Aliphatic Hydrocarbons	Calcium Chloride	Gallic Acid sat.so	MowilithD	Sodium Bicarbonate
Allyl Alcohol 96%	Calcium Hydroxide	Gluconic Acid	Muriatic Acid	Sodium Bisulphate sat.sol
Alum (aqu.sol)	Calcium Hypochlorite sol	Glycerine	Nickel Chloride sat.so	Sodium Bisulphite
Aluminium Chloride sat.sol	Calcium Nitrate 50%	Glycol	Nicotine Dilute	Sodium Bromide
Aluminium Fluoride	Calcium Sulphate sat.sol	Glycol Ethers	Nicotinic Acid	Sodium Carbonate
Aluminium Hydrogen sol 10%	Carbonic Acid (Aq.C02)	Glyocolic Acid	Nitric Acid 25%	Sodium Chlorate
Aluminium Hydroxide	Carbon Monoxide	Heptane	n-Octane	Sodium Chloride
Aluminium Sulphate sat.sol	Caustic (Aqueous)	Hexane	Octyl Cresol	Sodium Chromate
Ammonia (Anhydrous)	Caustic Potash Sol. 50%	Hexanel Tert	Oleic Acid	Sodium Disulphite
Ammonia (aqu.sol)	Caustic Soda Sol. 10%	Hydrazine Hydrate	Orthophosphoric Acid 50%	Sodium Dithionite 10%
Ammonia (100% Dry Gas)	Chloral Hydrate	Hydrosulphite 10%	Oxalic Acid	Sodium Ferricyanide
Ammonium Acetate	Chloroethanol	Hydroxylamine Sulphate	Paraffin Emulsions	Sodium Ferrocyanide sat.sol
Ammonium Biflouride	Chloric Acid 10%	Hydrazine 35%	Paraffin Oil	Sodium Fluoride sat.sol
Ammonium Carbonate 50%	Chlorogacetic Acid	Hydrazine Hydrochloride	Perchloric Acid 20%	Sodium Hydroxide Conc.
				-
Ammonium Chloride	Chlorobenzene	Hydroiodic Acid	Phosphoric Acid 50%	Sodium Hypochlorite
Ammonium Hydrogen Fluoride 50%	Chrome Alum sat.sol	Hydrobromic Acid 50%	Phosphorous Yellow	Sodium Iodide
Ammonium Hydroxide	Chromic Acid sat.sol	Hydrocyanic Acid sat.sol	Phosphorous Pentoxide	Sodium Nitrate
Ammonium Metaphosphate sat.so	Citric Acid 25%	Hydrochloric Acid 36%	Phtlalic Acid	Sodium Oxalate
Ammonium Nitrate sat.sol	Clorox Bleach	Hydrofluoric Acid 40%	Phtalic Anhydride	Sodium Persulphate
Ammonium Persulphate sat.so	Copper Cyanide	Hydrofluorisilicic Acid	Picric Acid 1%	Sodium Phosphate
Ammonium Phosphate	Copper Nitrate	Hydrogen Bromide 10%	Potash	Sodium Silicate
Ammonium Sulphide sat.sol	Copper Sulphate	Hydrogen Peroxide 20% Sulphates 50%	Potassium/Aluminum	Sodium Sulphate
Ammonium Thiocyanate sat.sol	Cresol 90%	Hydrogen Phosphide 100%	Potassium Bichromate	Sodium Sulphide
Amyl Acetate	Cresylic Acid	Hydrogen Sulphide	Potassium Borate 10%	Sodium Sulphonates
Amyl Alcohol	Crotonic Aldehyde	Hypochlorous Acid	Potassium Bromide	Sodium Thiosulphate
Antimony Salts	Cuprous Chloride sat.sol	Iodine (Alc. Sol.) Conc	Potassium Chlorate	Starch Solution sat.sol
Antimony Trichloride 90%	Cyclohexane	Iron (II) Chloride sat.sol	Potassium Chloride	Stearic Acid
Aqueous Alkalies (NaOH)	Cyclohexanol	Iron (II) Sulphate sat.sol	Potassium Chromate	Succinic Acid
Arsenic Acid	Dextrin sat.so	Iron (III) Chloride sat.sol	Potassium Cyanide	Sulphur
Asorbic Acid 10%	Dextrose sat.sol	Iron (III) Nitrate sat.sol	Potassium Dichromate 40%	Sulphuric Acid 50%
Barium Carbonate sat.sol	Diethyl Carbonate	Iron (III) Sulphate sat.sol	Potassium Fluoride	Tannic Acid sol
Barium Chloride	Disodium Phosphate	Isopropanol	Potassium Hydroxide	Tanning Extracts
Barium Cyanide	Diethylene Glycol	Isopropyl Acetate	Potassium Iodide	Tartaric Acid sat.sol
Barium Hydroxide sat.sol	Diglycolic Acid 30%	Isopropyl Alcohol	Potassium Nitrate sat.sol	Tetraethyl Lead
Barium Nitrate	Dioxane	Lactic Acid (All Conc)	Potassium Perborate sat.sol	Tributylprosphate
Barium Sulphate sat.sol	Electrolyte	Lead Acetate sat.sol	Potassium Perchlorate	Tricresyl Phosphate
Barium Sulphide	Ethanol	Magnesium Carbonate	Potassium Permanganate	Triethanolamine
Battery Fluid, Acid	Ethylene Chlorohydrin	Magnesium Hydroxide	Potassium Persulphate sat.sol	Trisodium Phosphate sat.sol
Benzaldehyde	Magnesium Oxide	Magnesium Nitrate	Potassium Phosphates	Urea
Benzene Ethylene Diamine	Ethylene Glycol	Potassium Sulphate	Wetting Agents	White Acid 75%
,				
Benzoic Acid	Ferric Chloride sat.sol	Magnesium Sulphate	Propanol	Yeast sol
Benzyl Alcohol	Ferric Nitrate sat.sol	Maleic Acid	Propargyl Alcohol 7%	Zinc Bromide sat.sol
Benzyl Chloroformate	Ferric Salts	Malic Acid 1%	Propionic Acid 50%	Zinc Chloride sat.sol
Boric Acid Dilute	Ferric Sulphate sat.sol	Mercury	Propyl Alcohol	Zinc Sulphate
Boric Acid Conc	Ferrous Sulphate	Methanol	Propylene Dichloride	
Butadiene	Fluoboric Acid	Methyl Acetate	Propylene Glycol	
Butanediol		Methyl Alcohol	Propylene Oxide	



NEW FOR 2018 - GALVANIZED STEEL SPILL PALLETS

For drum and IBC storage applications where polyethylene spill pallets are not suitable due to incompatibility, or a harsh working environment.

GSP2D





CODE			
GSP2D	1220 x 815 x 393mm	225.5ltrs	51kg
GSP4D	1220 x 1220 x 463mm	440ltrs	82kg
GSP1IBC	1220 x 1220 x 1050mm	1100ltrs	121kg
GSP2IBC	2450 x 1220 x 550mm	1100ltrs	164kg

GSP4D





GSP2IBC





GSP1 IBC







9704 90 Ave, Morinville, AB T8R 1K7 Telephone: (780) 447-5222 Fax: (780) 455-9448 Email: sales@zeebest.com www.zeebest.com